

SKEDE TEKNIKE per Kaldajat

3.027370GPL	Vicrix TERA 28 1
3.027371GPL	Vicrix TERA 32 1
3.027373GPL	Vicrix TERA 24 PLUS



**KALDAJA me gaz,
me KONDENSIM**

Me dhome te mbyllur dhe shkarkim te forcuar tymrash. Per Ngrohje dhe Sanitar apo vetem per ngrohje (PLUS).



IMMERCAS

Menyra INSTALIMI:

- * te VARUR ne mur
- * INKASO, me Omni Container



Kaldajat me kodin GPL j ushqehen me gazin e bombulave G30 apo G31.

Per ushqimin me gaz G20, Metan, duhen nderruar sprucatoret. Kaldajat mund te instalohen ne ambiente te jashtem por ne vende pjeserisht te mbrojtur.

Niveli i mbrojtjes elektrike eshte IPX5D.




TE DHENAT KRYESORE		Fuqia e perdorshme Nominale, kW		Prodhim uje sanitar Δt 30°C lt/h	Rendimenti		Fusha e modulimit te fuqise ne ngrohje	
KODI	Modeli	Ngrohje	Sanitar		80-60 °C	40-30 °C		
3.027370	Vicrix TERA 28 1	24,6	28,8	13,5	97,8%	108,2%	18 - 100%	
3.027371	Vicrix TERA 32 1	28,6	32,6	15,3	97,9%	106,0%	17,5 - 100%	
3.027373	Vicrix TERA 24 Plus	24,6	Vetem per Ngrohje		97,8%	108,2%	18 - 100%	
		PERMASAT, mm.			Pesha	RAKORDET		
		Gjeresi	Thellesi	Lartesi	kg.	Gazi	Sanitari	Ngrohja
VICRIX TERA 28 1		440	256	748	32,6	1/2"	1/2"	3/4"
VICRIX TERA 32 1					33,6			
VICRIX TERA 24 Plus					32			

AKSESORE per RREGULLIMIN TERMIK

çmimet LISTINO ne file AKSESORE

- 3.021395 **CAR V2**, Komandimi nga larg Kronotermostat ambjenti
- 3.021622 **CRONO 7** Kronotermostat dixhital javor
- 3.021624 **CRONO 7 WIRELESS**, Kronotermostat dixhital javor, PA tela
- 3.021623 **CAR V2 WIRELESS**, Komandimi i kaldajes nga larg, PA Tela, Kronotermostat ambjenti
- 3.020167 **MINI CRD** Komandim dhe kontrolli kaldaje nga larg
- 3.026273 **Kit skede DOMINUS** Kontrollii kaldajes me Smartphone apo Tablet
- 3.017182 **Kit komandim telefonik GSM** FIKS. Per aparate rregullimi termik (JO Mini CRD)
- 3.013305 **Kit komandim telefonik FIKS** Per aparate rregullimi termik (JO Mini CRD)
- 3.014083 **KIT SONDE E JASHTME**
- 3.019229 **Kit termostat sigurie "byzylyk"** Per kaldaja qe punojne me temperature te ulet direkte.
- 3.015350 **Kit Interfaccia Relè configurabile** Per lidhje me aparate te jashtem
- 3.011668 **Kit Çentralina per Pompa** apo Valvula zone te shtuar, maks. 3 zona
- 3.021452 **Kit Sonde hyrje Diellore**
- 3.028444 **KIT Skede menaxhimi multizone e multiremoto**
- 3.027084 **Kit Valvul mishelatriçe** per Kit multizone



AKSESORE ME KERKESE



3.027341 **KIT Karter i poshtem** per kaldaja me kondensim (RISI)



3.019264 **KIT rakorde instalimi TERA 28 e 32**

3.024907 **KIT rakorde instalimi TERA 24 PLUS**

3.011667 **KIT rakorde installimi universale**



3.019857 **KIT Passivatore di Condensa**



3.017323 **KIT DOZATOR Polifosfati**



3.024176 **KIT filter "cikloidal" manjetik**, per mbledhjen e mbetjeve metalike



3.017514 **KIT VAZO ekspansioni** te shtuar, 2 lt.



3.016301 **KIT Disconnettore hidrik** (JO per TERA 24 Plus)

3.5324 **KIT 2 Rubineta 3/4"** impiant hidraulik

3.015854 **KIT 2 Rubineta 3/4"** me Filter, imp



3.017325	KIT lidhje "kolone" per UB INOX 200 ErP / UB INOX SOLAR 200 ErP
3.024609	Rakorde per lidhjen Kaldaje me Bolitor Sanitar (vetem TERA 24 Plus)
3.024907	Kit rakordesh vetem per Victrix TERA 24 Plus , kaldaje vetem per ngrohje
3.017324	KIT kunder ngrirjes (deri -15 °C)

KITE per THITHJE AJRI dhe SHKARKIM TYMRASH, seria JESHILE


Per Kaldaja te instaluar **BRENDA ambjenteve**, me thithjen e ajrit nga JAShte

3.012002	Kit tuba te ndare Ø 80 / 80
3.012000	Kit tuba jashteqendrore Ø 60 / 100 me gjatesi 956 mm per nje distance maks. 12,90 mt
3.024598	Kit tuba jashteqendrore Ø 60 / 100 me gjatesi 851 mm per nje distance maks. 11,90 mt
3.024267	Kit Horizontal Ø 60/100 me pjesen fundore te orjentueshme
3.016833	Kit Vertikal bashkeqendror Ø 60/100 ngjyre Tjegull

KITE per SHKARKIM TYMRASH, seria JESHILE

Per Kaldaja te instaluar **ne ambjente te JASHEM**, thithje e Drejteperdrejte ajri ne ambient

3.027263	Kit "mbulese" e siperme, per mbrojtjen e kaldajes. Dalje per shkarkim, hyrje per thithje ajri
3.016365	Kit per shkarkimin te forcuar te tymrave, Ø 80 gjatesi 0,5 mt., sebashku me artikullin vijues
3.016364	Flanxhe per tub shkarkimi Ø 80 (per art. 3.016365)
3.024295	Kit fundor vertikal Ø 80, kunder eres



KITE HIDRAULIKE me POMPA**Per shperndarjen e ujit te ngrohte ne kate apo zona**

3.025606	DIM BASE ErP, inkaso, per impiante me prurje te larta uji
3.025607	DIM 2 ZONE ErP, inkaso, me nr. 2 pompa dhe skede elektronike
3.025608	DIM 3 ZONE ErP, inkaso, me nr. 3 pompa dhe skede elektronike
3.014948	KIT me nr. 2 rubineta, per Kitet DIM BASE ErP, DIM 2 dhe 3 ZONA
3.013794	KIT Sigurie per temperature te ulet per DIM 2 dhe 3 ZONA ErP

SHENIM: nese do te SHTOHET nje pompe per dergim / shperndarje ujit te ngrohte mund te perdoret Kiti 3.011668. Vendoset brenda kaldajes dhe komandon pompen

**Per IMPIANTE te PERZJER, me temperature te Larte dhe te Ulet**

3.025609	DIM ABT ErP, per 1 zone me temperature te Larte dhe 1 zone me temperature te Ulet
3.025610	DIM A2BT ErP, per 1 zone me temperature te Larte dhe 2 zona me temperature te Ulet

SHENIM: per informacione te detajuar shikoni KATALOGET e aksesoreve

INSTALIME I N K A S O

Kaldajat Victrix TERA 28 1, 32 1 dhe 24 Plus mund te instalohen BRENDA nje dollapi " **OMNI CONTAINER** "
Dollapi inkaso OMNI CONTAINER mund te furnizohet dhe vendoset ne pune PARA blerjes se kaldajave.

PERMASA OMNI CONTAINER

Gjeresia	68,6	cm
Thellesia	25,4	cm
Lartesia	119,0	cm

3.016991	OMNI CONTAINER , Telajo per instalim INKASO te kaldajave
3.027129	Kit STAFE mbajttese per OMNI CONTAINER (RISI)

Aksesore per TERA 28 dhe 32

3.025396	Grup rakordesh te perparme
3.025382	Grup rakordesh te pasme

Aksesore per TERA 24 Plus

3.025409	Grup rakordesh te perparme
3.025398	Grup rakordesh te pasme

**Instalime ne SISTEMIN T R I O V 2**

Kaldajat Victrix TERA 28 1, 32 1 dhe 24 Plus mund te instalohen ne sistemet TRIO V2 (per 2 zona) dhe TRIO MONO V2 (per 1 zone)

TRIO V2 sistemi PLUS = TRIO + AUDAX 6 -12 + TERA 24 PLUS

TRIO MONO V2 sistemi PLUS = TRIO + AUDAX 6 -12 + TERA 24 PLUS

TRIO V2 Sistemi COMBI = TRIO V2 + AUDAX TOP + TERA 28 apo 32

TRIO MONO V2 Sistemi COMBI = TRIO V2 + AUDAX TOP + TERA 28 apo 32

Ne vend te pompave di calore AUDAX mund te perdoren edhe pompat di calore **MAGIS PRO 5 - 8 - 10 kW.**

Impiantet mund te punojne edhe me sistemin DIELLOR nepermjet nje kit te posaçem dhe nje apo dy panele diellore.

3.024719 Kit per çiftim me Impiant Diellor Termik



Informacione te plota ne Katalogun TRIO V2